

Applying Data Mining Techniques on Soil Fertility Prediction

S.S.Baskar
Department of computer
Science
St. Joseph's college
Trichy, India

L.Arockiam
Department of computer
Science
St. Joseph's college
Trichy, India

S.Charles
Department of computer
Science
St. Joseph's college
Trichy, India

Abstract: The techniques of data mining are very popular in the area of agriculture. The advancement in Agricultural research has been improved by technical advances in computation, automation and data mining. Now a days ,data mining is being used in a vast areas .The products of data mining system and domain specific data mining application soft ware's are available for tailor made use, but data mining in agricultural on soil datasets is a relatively a young and contemporary research domain. Larger volume of data are harvested along the with the crop harvest in agriculture. Inferring the knowledge from huge volume of data is virtually a difficult task in the current scenario. This research uses the data mining techniques for analysis of soil dataset. This data mining algorithms are used for analysing the soil datasets for classification purposes. The various techniques of data mining is used and compared in this research.

Keywords: data mining, classification, regression, Naive Bayes,J48

1. INTRODUCTION

Data Mining is a modern research domain in past. The techniques are useful to draw out significant and utilizable knowledge which can be perceived by many individuals. Data mining programs consists of diverse methodologies which are predominantly produced and used by commercial enterprises and biomedical researchers. These techniques are well disposed towards their respective knowledge domain. In general, the statistical techniques are time consuming and highly expensive. Efficient techniques can be developed and tailored for solving complex soil data sets using data mining to improve the effectiveness and accuracy of the Classification of large soil data sets [1]. A soil test is the analysis of a soil sample to determine nutrient content, composition and other characteristics. Tests are usually performed to measure fertility and indicate deficiencies that need to be remedied [2]. The soil testing laboratories are provided with suitable technical literature on various aspects of soil testing, including testing methods and formulations of fertilizer recommendations [4]. It helps farmers to decide the extent of fertilizer and farm yard

manure to be applied at various stages of the growth cycle of the crop. In a research carried out by Leisa J. Armstrong, comparative study of current data mining techniques such as cluster analysis and statistical methods was carried out to establish the most effective technique. They used a large data set extracted from the Western Australia Department of Agriculture and Food (AGRIC) soils database to conduct this research. The experiments analysed a small number of traits contained within the dataset to determine their effectiveness when compared with standard statistical techniques [3]. In our approach, we have developed an automated system for soil classification based on fertility. After obtaining the fertility class labels with the help of automated system, we carried out a comparative study of various classification techniques with the help of data mining tool known as WEKA. The dataset used, was collected from one of the soil testing laboratories in Trichirapalli District (Tamil Nadu, India).Rest of this paper focuses on the prediction of untested attributes. This research has implemented a very sound practical application of linear regression technique by forecasting an obscure property of the soil test. The outcome of this research will result into substantial diminution in the price of these tests,

which will save a lot of efforts and time of Indian soil testing laboratories.

2. RESEARCH METHODOLOGY

2.1. Dataset Collection

The dataset is part of surveys which are carried out regularly in Trichirappalli District. Primary data for

the soil survey are acquired by field sampling. These samples are then sent for chemical and physical analysis at the soil testing laboratories; hence this dataset was collected from a private soil testing lab in Trichirappalli. It contains information about number of soil samples taken from 3 regions of Trichirappalli district (Manapparai , Vayampatti, and Manikandan Block). Dataset has 9 attributes and a total 2188 instances of soil samples. Table1 describes data collected for each soil sample.

Table-1 Attribute Description

Field	Description
N	Nitrogen
P	Phosphorous
K	Potassium
Fe	Iron content in the soil
Mn	Manganese content in the soil
Zn	Zinc content in the soil
Cu	Copper content in the soil
pH	pH
EC	Electrical conductivity (dS/m)
OC	Organic Carbon percentage

2.2. Automated System

Soil classification system is essential for the identification of soil properties. Expert system can be a very powerful tool in identifying soils quickly and accurately. Traditional classification systems include use of tables, flow-charts. This type of manual approach takes a lot of time, hence quick, reliable automated system for soil classification is needed to make better utilization of technician's time [9]. We propose an automated system that has been developed for classifying soils based on fertility. Being rule-based system, it depends on facts, concepts, theories which are required for the implementation of this system. Rules for soil classification were collected from soil testing lab. The soil sample instances were classified into the fertility class labels as: Very High, High, Moderately High, Moderate, Low, and Very Low. These class labels for soil samples were obtained with the help of this system

and they have been used further for comparative study of classification algorithms.

3. A COMPARATIVE STUDY OF SOIL CLASSIFICATION

The classification of soil was considered critical to study because depending upon the fertility class of the soil the domain knowledge experts determines which crops should be taken on that particular soil and which fertilizers should be used for the same. The following section describes Naive Bayes, J48, JRip algorithms briefly.

3.1. Naive Bayes

Naive bayes classifier is very simple and strong classifier based on applying Bayes' theorem with strong independence assumptions. Depending on the precise nature of the probability model, naive Bayes classifiers can be trained very efficiently in a supervised learning setting. An advantage of the naive Bayes classifier is that it only requires a small amount of training data to estimate the parameters (means and variances of the variables) necessary for classification [5].

3.2. J48 (C4.5)

J48 is an open source Java implementation of the C4.5 algorithm in the Weka data mining tool. C4.5 is a program that creates a decision tree based on a set of labeled input data. This decision tree can then be tested against unseen labeled test data to quantify how well it generalizes. This algorithm was developed by Ross Quinlan. It is an extension of Quinlan's earlier ID3 algorithm. C4.5 uses ID3 algorithm that accounts for

Table-2 Comparison of different classifiers

Classifier	Naïve Bayes	JRip	J48
Correctly Classified Instances	855	1998	2065
Incorrectly Classified Instances	1345	202	135
Accuracy	38.86%	90.81%	93.86%
Mean Absolute Error	0.324	0.0313	0.0283

4. PREDICTION OF ATTRIBUTES

Using regression algorithms like Linear Regression, Least Median Square, Simple Regression different attributes were predicted. According to these results the values of Phosphorous attribute was found to be most accurately predicted and it depends on least number of attributes. When all attributes are numeric,

continuous attribute value ranges, pruning of decision trees, rule derivation, and so on. The decision trees generated by C4.5 can be used for classification, and for this reason, C4.5 is often referred to as a statistical classifier [6].

3.3. JRip

This algorithm implements a propositional rule learner, Repeated Incremental Pruning to Produce Error Reduction (RIPPER), which was proposed by William W. Cohen as an optimized version of IREP. In this paper, three classification techniques (naïve Bayes, J48 (C4.5) and JRip) in data mining were evaluated and compared on basis of time, accuracy, Error Rate, True Positive Rate and False Positive Rate. Tenfold cross-validation was used in the experiment. Our studies showed that J48 (C4.5) model turned out to be the best classifier for soil samples.

linear regression is a natural and simple technique to consider for numeric prediction, but it suffers from disadvantage of linearity. If data exhibits non-linear dependency, it may not give good results. In this case, least median square technique is used. Median regression techniques incur high computational cost which often makes them infeasible for practical problems [8]. Several regression tests were carried out using WEKA data mining tool to predict untested numeric attributes. Linear-Regression test for predicting phosphor gave the best and accurate results. These predictions can be used to find out phosphor content without taking traditional chemical tests in soil testing labs, and this will eventually save a lot of time. Statistical results of these tests are given in Table3. There were very limited variations amongst the predicted values of phosphor attribute. Though the Least Median of Squares algorithms is known to produce better results, we noticed that the accuracy of linear regression was relatively equivalent to that of least median of squares algorithm.

Table-3 Comparisons of Regression Algorithms

Algorithm	Linear Regression	Least Median Square Regression
Time taken to build the model	0.18 s	10.84 s
Relative Absolute Error	10.63%	10.08%
Correlation Coefficient	0.9710	0.9905

Table-4: Predictions on test data

Actual Value Using Soil Testing	Predicted Value Using Linear Regression	Error
10.3	10.661	0.361
7.7	7.431	-0.269
4.6	4.653	0.053
9.5	8.478	-1.022
2.9	3.035	0.135
5.1	4.915	-0.185
15.3	15.667	0.367
7	7.402	0.402
18.4	18.743	0.343
4.4	4.388	-0.012
13.5	13.438	-0.062

Here the Relative Absolute Error is nearly same for both the prediction algorithms. Even though Least Median Square regression gives better numeric predictions but the time taken to build the model is 67 times that of Linear Regression, hence computational cost used by Linear Regression is much lower than that of least median square technique.

5. CONCLUSION

In this paper, we have proposed an analysis of the soil data using different algorithms and prediction technique. In spite the fact that the least median squares regression is known to produce better results than the classical linear regression technique, from the given set of attributes, the most accurately predicted attribute was “N” (Nitrogen content of the soil) and which was determined using the Linear Regression technique in lesser time as compared to Least Median Squares Regression. We have demonstrated a comparative study of various classification algorithms i.e. Naïve Bayes, J48 (C4.5), JRip with the help of data mining tool WEKA. J48 is very simple classifier to make a decision tree, but it gave the best result in the experiment. In future, we can

plan to build Fertilizer Recommendation System which can be utilized effectively by the Soil Testing Laboratories. This System will recommend appropriate fertilizer for the given soil sample and cropping pattern.

6. REFERENCES

- [1] A. Kumar & N. Kannathan, (2011), “A Survey on Data Mining and Pattern Recognition Techniques for Soil Data Mining”, IJCSI International Journal of Computer Science Issues, Vol. 8, Issue 3,
- [2] “Soil test”, Wikipedia, February 2012
- [3] L. Armstrong, D. Diepeveen & R. Maddern, (2004), “The application of data mining techniques to characterize agricultural soil profiles”
- [4] “Methods Manual-Soil Testing in India”, Department of Agriculture & Cooperation Ministry of Agriculture Government of India, 2011

- [5] “Naïve Bayes”, Wikipedia, February 2012
- [6] “C4.5 (J48)”, Wikipedia, February 2012
- [7] W. Cohen, (1995),” Fast Effective Rule Induction, in Twelfth International Conference on Machine Learning.
- [8] I. Witten & F. Eibe, (2005), “Data Mining: Practical Machine Learning Tools and Techniques”, 2nd Edition, San Francisco: Morgan Kaufmann,
- [9] A. Al-Rawas, S. Al-Alwai, (1998), A. Bisma & Y. Al-Alwai, “Soil Classification Decision Support System Using An Expert System Approach”, Engineering Journal Of University of Qatar, Vol. 11, p. 103-115.
- [10] S. Cunningham & G. Holmes, (1999), ”Developing innovative applications in agriculture using data mining”, Department of Computer Science University of Waikato Hamilton, New Zealand, Technical Report.
- [11] P. Gruhn, F. Goletti, & M. Edelman, (2000) “ Integrated Nutrient Management, Soil Fertility, and Sustainable agriculture: Current Issues and Future Challenges”, International Food Policy Research Institute, N.W. Washington, D.C. U.S.A, technical Report.
- [12] R. Vamanan & K. Ramar, (2011), “Classification Of Agricultural Land Soils A Data Mining Approach”, International Journal on Computer Science and Engineering, ISSN: 0975-3397, Vol.3
- [13] P. Bhargavi & S. Jyothi, (2011), “Soil Classification Using Data Mining Techniques: A Comparative Study”, International Journal of Engineering Trends and Technology
- [14] J. Han & M. Kamber, (2006), “Data Mining: Concepts and Techniques” Second Edition, San Francisco: Morgan Kaufmann Publishers,
- [15] S. Diplaris, G. Tsoumakas, P. Mitkas & I. Vlahavas, (2005), “Protein Classification with Multiple Algorithms”, P. Bozanis and E.N. Houstis (Eds.): pp. 448 – 456
- [16] A. Sharma, (2011), “A Comparative Study of Classification Algorithms for Spam Email Data Analysis”; International Journal on Computer Science and Engineering, ISSN: 0975-3397 Vol. 3
- [17] M. Kumari & S. Godara, (2011), “Comparative Study of Data Mining Classification Methods in Cardiovascular Disease Prediction”, International Journal of Computer Science and Technology,, Vol. 2, and ISSN: 0976